

CO₂ BASED WHEELED EXTINGUISHER


PRODUCT OVERVIEW

Ceasefire’s wheeled CO₂ extinguishers are very effective in putting out large fires. Being sturdier and lighter, these extinguishers save the time involved in carrying the extinguisher to the fire. Packed with tremendous power, these CO₂ extinguishers reduce the oxygen supply, bringing the temperature down drastically, and stopping the fire in seconds.

The extinguisher’s revolutionary new ball and wheel activation mechanism also removes all risk of freeze burn and ensures that you can rapidly put the extinguisher to use against a fire.



ENGINEERING DRAWINGS





TECHNICAL SPECIFICATIONS

Product Code	UOM	CF-000740
Description	—	Fire Ext CO ₂ 20KG MS Wheel Type SP Red
Capacity of Agent	L	20-5%
Certification	—	EN1866 PED
Diameter of Shell	MM	232
Total Height (approx.)	MM	1360
MOC of Shell	—	37Mn / 34CrMo4
Mini. Wall Thickness	MM	5.4
Test Pressure	BAR	250
Anti-Corrosive Treatment	—	Outer surfaces are EP Powder coated having Thickness 50 Micron Min. RAL Shade 3000
Service Pressure	BAR	70
Type of Operating Mechanism	—	Wheel type
Type of Pressure Gauge	—	Magnetic Bourdon Tube Type
Type of Dis. Fitting & Length	MM	EPDM Rubber Braided Hose Pipe with nozzle Length of Hose 5000mm (Min.)
Throw	Meter	5
Min. Discharge Time	Sec.	18
Fire Rating	—	113 B
Operating Temperature Range	°C	-30°C to +60°C
Applicable to Type of Fire	—	Class B & Electrical Started Fire
Filled Weight Range*	KG	Approx. 81.0
Packed Weight Range (approx)**	KG	89
Packed Size Length x Width x Height	MM	450 x 580 x 1420
Product Warranty	YEAR	5

*It includes Empty Extinguisher, Contents, Hose / Nozzle and trolley.

**It includes Empty Extinguisher, Packaging, Contents, Hose / Nozzle and trolley.

CERTIFICATIONS



PRODUCT PICTURES



20 KG

*v1' Published Date is 31-07-2022.

**Regular R&D and product improvisations may lead to change in product specifications in this data sheet, without any prior notice.

CEASEFIRE INDUSTRIES UK LIMITED

Call us at: 0-113-868-6666, 0-126-891-9999

www.ceasefire.co.uk